



# SAFETY DATA SHEET

Date Issued : 06/05/2020  
SDS No : RA PROT SoPS

## ResistAll Protect Spray On Paint Sealant

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** ResistAll Protect Spray On Paint Sealant  
**GENERAL USE:** Automotive paint protection  
**GENERIC NAME:** Mixture

#### MANUFACTURER

Cal-Tex Protective Coatings, Incorporated  
7455 Natural Bridge Caverns Rd.  
Schertz, TX 78154-3200  
**Customer Service:** 210-564-3200

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

INFOTRAC (US Transportation): 800-535-5053  
Poison Control Center (Medical): 877-800-5553

### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

Not classified.

#### GHS LABEL

The mixture does not meet the criteria for classification under the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### PRECAUTIONARY STATEMENTS

##### Prevention:

9470YS4V: Observe good industrial hygiene practices.

##### Response:

6458G8LP: Wash hands thoroughly after handling.

##### Storage:

88762XVK: Store away from incompatible materials.

##### Disposal:

3912LZZT: Dispose of contents/container in accordance with local, state and federal regulations.

#### EMERGENCY OVERVIEW

**IMMEDIATE CONCERNS:** May cause eye and skin irritation.

#### POTENTIAL HEALTH EFFECTS

**EYES:** Contact may cause eye irritation.

**SKIN:** May cause skin irritation. Allergic reactions are possible.

**INGESTION:** Health injuries are not known or expected under normal use. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**INHALATION:** Repeated or excessive inhalation of spray or mist may cause respiratory tract irritation.

**MEDICAL CONDITIONS AGGRAVATED:** Dermatitis may be aggravated by excessive exposure to skin.

**ROUTES OF ENTRY:** Include skin contact, eye contact, inhalation and ingestion.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	Wt.%	CAS
Hydrotreated Middle Petroleum Distillates		64742-46-7
Polydimethylsiloxane		63148-62-9
2-propanol		67-63-0

**4. FIRST AID MEASURES**

**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**SKIN:** Flush affected area with water. If irritation persists, get medical attention. Wash contaminated clothing before reuse.

**INGESTION:** If swallowed, do NOT induce vomiting, give several glasses of water - get medical attention/advice if you feel unwell.

**INHALATION:** Move to fresh air. Call a physician if symptoms develop or persist.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE**

**EYES:** May include redness, swelling, pain, tearing, and blurred or hazy vision.

**SKIN:** May include localized redness, swelling, and itching.

**INGESTION:** May include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**INHALATION:** May include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

**5. FIRE FIGHTING MEASURES**

**FLAMMABLE CLASS:** Not yet Determined

**EXTINGUISHING MEDIA:** Water, water fog, foam, dry chemical power, carbon dioxide (CO<sub>2</sub>).

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon monoxide, carbon dioxide, silicone dioxide and traces of other toxic substances cannot be excluded.

**OTHER CONSIDERATIONS:** Water or foam may cause frothing which can be violent especially if sprayed in containers of hot, burning liquid.

**FIRE FIGHTING PROCEDURES:** Avoid flow of material into drains. Use a water spray to cool fire-exposed containers. Do not enter any enclosed or confined space without proper PPE.

**FIRE FIGHTING EQUIPMENT:** Firefighters should wear self contained breathing apparatus as some toxic decomposition products may result from fire conditions.

**6. ACCIDENTAL RELEASE MEASURES**

**SMALL SPILL:** Wipe up liquid with papertowel. Clean surface thoroughly to remove residual contamination.

**LARGE SPILL:** Confine spill by diking or impoundment. Clean up spill by absorbing with an inert material such as sand, soil, sawdust, oil dry or vermiculite. Sweep up absorbant and dispose according to regulatory requirements. Ventilate area to avoid breathing vapors or dust.

**ENVIRONMENTAL PRECAUTIONS**

**WATER SPILL:** Keep spills and cleaning runoffs out of municipal sewers and open bodies of water if safe to do so.

**LAND SPILL:** Prevent further leakage or spillage if safe to do so.

**7. HANDLING AND STORAGE**

## ResistAll Protect Spray On Paint Sealant

**HANDLING:** Use care in handling. Avoid contact with eyes, skin, and clothing. Avoid release to the environment. Follow label directions.

**STORAGE:** Do not store near strong oxidants or open flames. Store in original container protected from direct sunlight in a dry, cool, well-ventilated area and away from food and drink. Keep container closed when not in use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
Chemical Name	EXPOSURE LIMITS			
	Type		ppm	mg/m <sup>3</sup>
Hydrotreated Middle Petroleum Distillates	OSHA PEL	TWA	[1]	5 [1]
2-propanol	OSHA PEL	TWA	400	980
		STEL	500	1225
	ACGIH TLV	TWA	400	983
		STEL	500	1230
<b>Footnotes:</b> 1. Mist				

**ENGINEERING CONTROLS:** Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** If contact is likely, safety glasses with side shields are recommended.

**SKIN:** If prolonged or repeated contact is likely, protective gloves are recommended.

**RESPIRATORY:** Not normally needed. If ventilation is not sufficient to effectively prevent buildup of vapor/mist, appropriate NIOSH/MSHA respiratory protection should be provided.

**WORK HYGIENIC PRACTICES:** Wash thoroughly after using with soap and water.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**ODOR:** Slight solvent odor

**ODOR THRESHOLD:** Not Available

**APPEARANCE:** Brown liquid

**pH:** 5 to 7

**FLASH POINT AND METHOD:** > 100°C (212°F) Closed Cup

**FLAMMABLE LIMITS:** Not Available

**AUTOIGNITION TEMPERATURE:** Not Available

**VAPOR PRESSURE:** Not Available

**VAPOR DENSITY:** Not Available

**BOILING POINT:** 100°C (212°F)

**FREEZING POINT:** 0°C (32°F)

**THERMAL DECOMPOSITION:** Not Available

ResistAll Protect Spray On Paint Sealant

**SOLUBILITY IN WATER:** Completely soluble**EVAPORATION RATE:** Not Available**SPECIFIC GRAVITY:** 0.99**VISCOSITY:** Similar to water**(VOC):** 5.9 %**10. STABILITY AND REACTIVITY****REACTIVITY:** This product is stable and non-reactive under normal conditions of use, storage and transport.**HAZARDOUS POLYMERIZATION:** Hazardous polymerization will not occur.**STABILITY:** Stable under normal storage and handling conditions.**CONDITIONS TO AVOID:** Keep away from extreme heat, strong acids and oxidizing agents.**HAZARDOUS DECOMPOSITION PRODUCTS:** Upon decomposition this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.**INCOMPATIBLE MATERIALS:** Strong acids.**11. TOXICOLOGICAL INFORMATION****ACUTE TOXICITY**


Chemical Name	ORAL LD <sub>50</sub>	DERMAL LD <sub>50</sub>	INHALATION LC <sub>50</sub>
2-propanol	5500 mg/kg (Rat)	> 12800 mg/kg (Rabbit)	> 10000 mg/l (Rat)

**SERIOUS EYE DAMAGE/IRRITATION:** Prolonged inhalation may be harmful.**CARCINOGENICITY****NOTES:** The ingredients of this product are not classed as carcinogenic by ACGIH, IARC, OSHA or NTP.**REPRODUCTIVE TOXICITY:** This product is not expected to cause reproductive or developmental effects.**STOT-SINGLE EXPOSURE:** Not classified.**GENERAL COMMENTS:** This product has no known adverse effect on human health.**12. ECOLOGICAL INFORMATION****ECOTOXICOLOGICAL INFORMATION:** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.**13. DISPOSAL CONSIDERATIONS****DISPOSAL METHOD:** Waste must be disposed of in accordance with federal, state and local waste disposal regulations.**EMPTY CONTAINER:** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)****PROPER SHIPPING NAME:** Not regulated by the US Department of Transportation as a hazardous material.**AIR (ICAO/IATA)**

ResistAll Protect Spray On Paint Sealant

**SHIPPING NAME:** Not regulated as dangerous goods.**NOTE:** Transportation of this product is not regulated by IATA**VESSEL (IMO/IMDG)****SHIPPING NAME:** Not regulated as dangerous goods.**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****311/312 HEALTH HAZARDS:** None**302/304 EMERGENCY PLANNING****EMERGENCY PLAN:** Not listed**TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA REGULATORY:** All components of this product are listed or exempt from listing on TSCA Inventory.**CALIFORNIA PROPOSITION 65:** This product does not contain any substances which are known to the state of California to cause cancer, birth defects, or other reproductive effects.**OSHA HAZARD COMM. RULE:** This product is not classified as a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard (29 CFR 1910.1200).**CLEAN WATER ACT:** Not Regulated.**16. OTHER INFORMATION****PREPARED BY:** Cal-Tex Compliance Office**Date Prepared:** 06/05/2020**HMIS RATING**

<b>HEALTH</b>		<b>1</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>
<b>PERSONAL PROTECTION</b>		<b>A</b>

**NFPA CODES**

**MANUFACTURER DISCLAIMER:** We believe the statements, technical information and recommendations contained herein are reliable. However, the data is provided without warranty, expressed or implied. It is the users responsibility both to determine safe conditions for use of this product and assume loss, damage or expense, direct or consequential, arising from its use. Before using this product, read label. The information contained in this publication is intended for general information purposes only. This publication is not a substitute for review of the applicable government regulations and standards, and should not be construed as legal advice or opinion. Readers with specific questions should refer to the cited references.





# SAFETY DATA SHEET

Date Issued : 06/05/2020  
SDS No : RA PROT FS

## ResistAll Protect Fabric Sealant

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** ResistAll Protect Fabric Sealant  
**GENERAL USE:** Automotive fabric and carpet protector  
**CHEMICAL FAMILY:** Mixture

#### MANUFACTURER

Cal-Tex Protective Coatings, Incorporated  
7455 Natural Bridge Caverns Rd.  
Schertz, TX 78154-3200  
**Customer Service:** 210-564-3200

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

INFOTRAC (US Transportation): 800-535-5053  
Poison Control Center (Medical): 877-800-5553

### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

Not classified.

#### GHS LABEL

The mixture does not meet the criteria for classification under the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### PRECAUTIONARY STATEMENTS

##### Prevention:

9470YS4V: Observe good industrial hygiene practices.

##### Response:

6458G8LP: Wash hands thoroughly after handling.

##### Storage:

P233: Keep container tightly closed.

##### Disposal:

3912LZZT: Dispose of contents/container in accordance with local, state and federal regulations.

#### EMERGENCY OVERVIEW

**IMMEDIATE CONCERNS:** May cause eye and skin irritation.

#### POTENTIAL HEALTH EFFECTS

**EYES:** Direct contact or exposure of liquid or mist may cause irritation, swelling, tearing, redness, itching or burning.

**SKIN:** Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**INGESTION:** Ingestion of large amounts may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**INHALATION:** Short term inhalation of vapor or mist is not likely to cause harmful effects. Breathing large amounts of vapor or mist may cause irritation of the nose, throat or respiratory tract. Breathing large amounts of vapor or mist may result in pneumonia or pulmonary edema.

**MEDICAL CONDITIONS AGGRAVATED:** Dermatitis may be aggravated by excessive exposure to skin.

**ROUTES OF ENTRY:** Include skin contact, eye contact, inhalation and ingestion.

**SENSITIZATION:** None Expected.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

The product contains no ingredients classified as hazardous according to the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**SKIN:** Flush affected area with water. If irritation persists, get medical attention. Wash contaminated clothing before reuse.

**INGESTION:** If swallowed, do NOT induce vomiting, give several glasses of water - get medical attention/advice if you feel unwell.

**INHALATION:** Move to fresh air. Call a physician if symptoms develop or persist.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** May include redness, swelling, pain, tearing, and blurred or hazy vision.

**SKIN:** May include localized redness, swelling, and itching.

**INGESTION:** May include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**INHALATION:** May include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

### 5. FIRE FIGHTING MEASURES

**FLAMMABLE CLASS:** Not yet Determined

**EXTINGUISHING MEDIA:** Water, water fog, foam, dry chemical power, carbon dioxide (CO<sub>2</sub>).

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon monoxide, carbon dioxide, silicone dioxide and traces of other toxic substances cannot be excluded.

**FIRE FIGHTING PROCEDURES:** Avoid flow of material into drains. Use a water spray to cool fire-exposed containers. Do not enter any enclosed or confined space without proper PPE.

**FIRE FIGHTING EQUIPMENT:** Firefighters should wear self contained breathing apparatus as some toxic decomposition products may result from fire conditions.

### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Clean up liquid with papertowel.

**LARGE SPILL:** Confine spill by diking or impoundment. Clean up spill by absorbing with an inert material such as sand, soil, sawdust, oil dry or vermiculite. Sweep up absorbant and dispose according to regulatory requirements. Ventilate area to avoid breathing vapors or dust.

#### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Keep spills and cleaning runoffs out of municipal sewers and open bodies of water if safe to do so.

**LAND SPILL:** Prevent further leakage or spillage if safe to do so.

### 7. HANDLING AND STORAGE

**HANDLING:** Use care in handling. Avoid contact with eyes, skin, and clothing. Avoid release to the environment. Follow label directions.



**STORAGE:** Do not store near strong oxidants or open flames. Store in original container protected from direct sunlight in a dry, cool, well-ventilated area and away from food and drink. Keep container closed when not in use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** If contact is likely, safety glasses with side shields are recommended.

**SKIN:** If prolonged or repeated contact is likely, protective gloves are recommended.

**RESPIRATORY:** Not normally needed. If ventilation is not sufficient to effectively prevent buildup of vapor/mist, appropriate NIOSH/MSHA respiratory protection should be provided.

**WORK HYGIENIC PRACTICES:** Wash thoroughly after using with soap and water.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**ODOR:** Slight

**APPEARANCE:** White liquid

**pH:** 5 to 7

**FLASH POINT AND METHOD:** > 100°C (210°F)

**FLAMMABLE LIMITS:** Not Available to Not Available

**AUTOIGNITION TEMPERATURE:** Not Available

**VAPOR PRESSURE:** Not Available

**VAPOR DENSITY:** Not Available

**BOILING POINT:** 100°C (212°F)

**FREEZING POINT:** 0°C (32°F)

**THERMAL DECOMPOSITION:** Not Available

**SOLUBILITY IN WATER:** Dispersible

**EVAPORATION RATE:** Not Available

**SPECIFIC GRAVITY:** 1.006

**VISCOSITY:** Similar to water

## 10. STABILITY AND REACTIVITY

**HAZARDOUS POLYMERIZATION:** Hazardous polymerization will not occur.

**STABILITY:** Stable under normal storage and handling conditions.

**CONDITIONS TO AVOID:** Keep away from extreme heat, strong acids and oxidizing agents.

## 11. TOXICOLOGICAL INFORMATION

## 12. ECOLOGICAL INFORMATION

**ECOTOXICOLOGICAL INFORMATION:** Analysis for ecological effect has not been conducted on this product.

**13. DISPOSAL CONSIDERATIONS**

**DISPOSAL METHOD:** Waste must be disposed of in accordance with federal, state and local waste disposal regulations.

**EMPTY CONTAINER:** Remove all residue when emptying.

**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** Not regulated by the US Department of Transportation as a hazardous material.

**AIR (ICAO/IATA)**

**SHIPPING NAME:** Not regulated as dangerous goods.

**VESSEL (IMO/IMDG)**

**SHIPPING NAME:** Not regulated as dangerous goods.

**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

**313 REPORTABLE INGREDIENTS:** This product does not contain any chemicals subject to the reporting requirements of SARA Section 313.

**302/304 EMERGENCY PLANNING**

**EMERGENCY PLAN:** This product does not contain any chemical components subject to the reporting requirements of SARA Title III, Section 302 or with a Section 304 EHS RQ.

**CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)**

**CERCLA REGULATORY:** This product, as supplied, does not contain any components regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA)

**TSCA (TOXIC SUBSTANCE CONTROL ACT)**

**TSCA REGULATORY:** All intentional ingredients are listed in the TSCA Inventory or comply with TSCA Polymer Exemption criteria in accordance with 40 CFR 723.

**REGULATIONS**

**STATE REGULATIONS:** This product does not contain any chemicals on Hazardous Substance Lists or Right-To-Know Lists.

**CALIFORNIA PROPOSITION 65:** This product does not contain any substances which are known to the state of California to cause cancer, birth defects, or other reproductive effects.

**CANADA**


**CANADIAN ENVIRONMENTAL PROTECTION ACT:** All components are listed or otherwise in compliance with notification requirements.

**16. OTHER INFORMATION**

**PREPARED BY:** Cal-Tex Compliance Office      **Date Prepared:** 06/05/2020

**HMS RATING**

<b>HEALTH</b>		<b>1</b>
<b>FLAMMABILITY</b>		<b>0</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>
<b>PERSONAL PROTECTION</b>		<b>A</b>

**NFPA CODES**

**MANUFACTURER DISCLAIMER:** We believe the statements, technical information and recommendations contained herein are reliable. However, the data is provided without warranty, expressed or implied. It is the users responsibility both to determine safe conditions for use of this product and assume loss, damage or expense, direct or consequential, arising from its use. Before using this product, read label. The information contained in this publication is intended for general information purposes only. This publication is not a substitute for review of the applicable government regulations and standards, and should not be construed as legal advice or opinion. Readers with specific questions should refer to the cited references.





# SAFETY DATA SHEET

Date Issued : 06/05/2020  
SDS No : RA PROT LVS

## ResistAll Protect Vinyl/Leather Sealant

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** ResistAll Protect Vinyl/Leather Sealant  
**GENERAL USE:** Protection of automotive leather and vinyl.  
**CHEMICAL FAMILY:** Mixture

#### MANUFACTURER

Cal-Tex Protective Coatings, Incorporated  
7455 Natural Bridge Caverns Rd.  
Schertz, TX 78154-3200  
**Customer Service:** 210-564-3200

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

INFOTRAC (US Transportation): 800-535-5053  
Poison Control Center (Medical): 877-800-5553

### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

Not classified.

#### GHS LABEL

The mixture does not meet the criteria for classification under the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### PRECAUTIONARY STATEMENTS

##### Prevention:

9470YS4V: Observe good industrial hygiene practices.

##### Response:

6458G8LP: Wash hands thoroughly after handling.

##### Storage:

P404: Store in a closed container.

##### Disposal:

3912LZZT: Dispose of contents/container in accordance with local, state and federal regulations.

#### EMERGENCY OVERVIEW

**PHYSICAL APPEARANCE:** Off white, creamy liquid

**IMMEDIATE CONCERNS:** May cause eye and skin irritation.

**MEDICAL CONDITIONS AGGRAVATED:** Dermatitis may be aggravated by excessive exposure to skin.

**ROUTES OF ENTRY:** Include skin contact, eye contact, inhalation and ingestion.

**TARGET ORGAN STATEMENT:** None known.

**SENSITIZATION:** None Expected.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

The product contains no ingredients classified as hazardous according to the OSHA Hazard Communication Standard (29 CFR

1910.1200).

#### 4. FIRST AID MEASURES

**EYES:** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.

**SKIN:** Flush affected area with water. If irritation persists, get medical attention. Wash contaminated clothing before reuse.

**INGESTION:** If swallowed, do not induce vomiting, give several glasses of water. Get medical attention/advice if you feel unwell.

**INHALATION:** If inhaled, remove the affected person immediately to fresh air. If symptoms persist, get medical attention.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** May include redness, swelling, pain, tearing, and blurred or hazy vision.

**SKIN:** May include localized redness, swelling, and itching.

**INGESTION:** May include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**INHALATION:** May include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### 5. FIRE FIGHTING MEASURES

**FLAMMABLE CLASS:** None

**EXTINGUISHING MEDIA:** Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon monoxide, carbon dioxide, silicone dioxide and traces of other toxic substances cannot be excluded.

**FIRE FIGHTING PROCEDURES:** Avoid flow of material into drains. Use a water spray to cool fire-exposed containers. Do not enter any enclosed or confined space without proper PPE.

**FIRE FIGHTING EQUIPMENT:** Firefighters should use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**FIRE EXPLOSION:** Contact with strong oxidizers may cause fire or explosion.

**HAZARDOUS DECOMPOSITION PRODUCTS:** None Expected.

#### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Soak up with sawdust, sand, oil dry, paper towel or other absorbent material

**LARGE SPILL:** Confine spill by diking or impoundment. Clean up spill by absorbing with an inert material such as sand, soil, sawdust, oil dry or vermiculite. Sweep up absorbant and dispose according to regulatory requirements. Ventilate area to avoid breathing vapors or dust.

#### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Keep spills and cleaning runoffs out of municipal sewers and open bodies of water if safe to do so.

**LAND SPILL:** Prevent further leakage or spillage if safe to do so.

**GENERAL PROCEDURES:** In case of spills, beware of slippery floors and surfaces.

**SPECIAL PROTECTIVE EQUIPMENT:** Wear appropriate personal protective equipment.

#### 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** Keep out of reach of children. Keep container closed when not in use to prevent drying out.

**HANDLING:** Use care in handling. Avoid contact with eyes, skin, and clothing. Avoid release to the environment. Follow label

ResistAll Protect Vinyl/Leather Sealant

directions.

**STORAGE:** Store in cool and well ventilated place.

**STORAGE TEMPERATURE:** Keep from Freezing.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Not normally needed. If contact is likely, safety glasses with side shields are recommended.

**SKIN:** If prolonged or repeated contact is likely, protective gloves are recommended.

**RESPIRATORY:** Respiratory protection is not needed under normal and intended conditions of product use. Use with adequate ventilation.

**WORK HYGIENIC PRACTICES:** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**ODOR:** Slight

**COLOR:** Off white

**pH:** 5 to 7

**FLASH POINT AND METHOD:** > 100°C (212°F) Closed Cup

**FLAMMABLE LIMITS:** Not Available to Not Available

**AUTOIGNITION TEMPERATURE:** Not Available

**VAPOR PRESSURE:** Not Available

**VAPOR DENSITY:** Not Available

**BOILING POINT:** 100°C (212°F)

**FREEZING POINT:** 0°C (32°F)

**THERMAL DECOMPOSITION:** Not Available

**SOLUBILITY IN WATER:** Dispersible

**EVAPORATION RATE:** Not Available

**SPECIFIC GRAVITY:** 1.05

**VISCOSITY:** Not Available

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** Yes

**HAZARDOUS POLYMERIZATION:** Hazardous polymerization will not occur.

**STABILITY:** Stable under normal storage and handling conditions.

**CONDITIONS TO AVOID:** Keep away from extreme heat, strong acids and oxidizing agents.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon dioxide, carbon monoxide may be produced during combustion.

**INCOMPATIBLE MATERIALS:** Oxidizing materials.

**11. TOXICOLOGICAL INFORMATION****CARCINOGENICITY**

**IARC:** Not listed

**NTP:** Not listed

**OSHA:** Not listed

**NOTES:** Not a known carcinogen.

**STOT-REPEATED EXPOSURE:** None known.

**12. ECOLOGICAL INFORMATION**

**ECOTOXICOLOGICAL INFORMATION:** Analysis for ecological effect has not been conducted on this product.

**BIOACCUMULATION/ACCUMULATION:** Product is not expected to bioaccumulate.

**13. DISPOSAL CONSIDERATIONS**

**DISPOSAL METHOD:** Follow applicable federal, state and local waste disposal regulations.

**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** Not regulated by the US Department of Transportation as a hazardous material.

**AIR (ICAO/IATA)**

**SHIPPING NAME:** Not regulated as dangerous goods.

**VESSEL (IMO/IMDG)**

**SHIPPING NAME:** Not regulated as dangerous goods.

**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

**313 REPORTABLE INGREDIENTS:** This product does not contain any chemicals subject to the reporting requirements of SARA Section 313.

**302/304 EMERGENCY PLANNING**

**EMERGENCY PLAN:** This product does not contain any chemical components subject to the reporting requirements of SARA Title III, Section 302 or with a Section 304 EHS RQ.

**CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)**

**CERCLA REGULATORY:** This product, as supplied, does not contain any components regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA)

**TSCA (TOXIC SUBSTANCE CONTROL ACT)**

**TSCA REGULATORY:** All components of this product are listed or exempt from listing on TSCA Inventory.

**TSCA STATUS:** The partially fluorinated polymer in this product is subject to a TSCA section 5(e) consent order between US EPA and the chemical's manufacturer. The partially fluorinated polymer in this product is subject to export notification under TSCA section 12(b).



## ResistAll Protect Vinyl/Leather Sealant

**CALIFORNIA PROPOSITION 65:** This product does not contain any substances which are known to the state of California to cause cancer, birth defects, or other reproductive effects.

**CANADA**

**CANADIAN ENVIRONMENTAL PROTECTION ACT:** All components are listed or otherwise in compliance with notification requirements.


**16. OTHER INFORMATION**

**PREPARED BY:** Cal-Tex Compliance Office

**Date Prepared:** 06/05/2020

**HMIS RATING**

<b>HEALTH</b>	<input type="checkbox"/>	<b>1</b>
<b>FLAMMABILITY</b>		<b>0</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>
<b>PERSONAL PROTECTION</b>		<b>B</b>

**NFPA CODES****DATA SOURCES:**

- Threshold Limit Values and Biological Exposure Indices. American Conference of Governmental Industrial Hygienists.
- TSCA & SARA Title III, US Environmental Protection Agency and the National Technical Information Services
- Raw Material Manufacturers Material Safety Data Sheets

**MANUFACTURER DISCLAIMER:** We believe the statements, technical information and recommendations contained herein are reliable. However, the data is provided without warranty, expressed or implied. It is the users responsibility both to determine safe conditions for use of this product and assume loss, damage or expense, direct or consequential, arising from its use. Before using this product, read label. The information contained in this publication is intended for general information purposes only. This publication is not a substitute for review of the applicable government regulations and standards, and should not be construed as legal advice or opinion. Readers with specific questions should refer to the cited references.